

Order No.: 58FSHD1 | GTIN (EAN): 4058352431931 Product description: Mon11/21,D-ecoMa,HC1



Monsun[®] 11/21, DALleco master kit, installation type: recessed, with cable with RJ-11 plug + 4x single conductor 0.75mm², AC, 50/60Hz, length: 250mm, width: 34mm, height: 29mm, DALleco controller, master, sensor HC1, light sensor deactivated, certification: CE, permissible operating ambient temperature: -25..+35°C, packaging unit: 1 piece

ĆE

Wt. (kg): GTIN (EAN):

0.2 4058352431931

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 06.06.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -

ѕітесо

Order No.: 58FSHD1 | GTIN (EAN): 4058352431931 Detailed technical description: Mon11/21,D-ecoMa,HC1



Key data

- System family: DALleco
- Product type: DALleco master kit
- Product name: Monsun® 11/21
- Order No.: 58FSHD1

Lighting technology | Lamps | Control gear

Component 1

Lamps:

- Supplement: for DALI version

Operating device:

 Control: DALleco, light sensor deactivated

Certificates, Standards

- Temperature range (operation): -25..+35°C
- Certification, designation: CE

Mounting

- Mounting method, mounting location:
- recessed, in the luminaire housing
- Supplement: for housing width = 84mm


Electrical connection

 Connection: cable with RJ-11 plug + 4x single conductor 0.75mm²

Dimensions, Weight

- Length: 250mm
- Width: 34mm
- Height: 29mm
- Weight: 0.2kg

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 06.06.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -



Richtwert: Reichweite abhängig von örtlichen Gegebenheiten Guide value: range depending on local conditions

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 06.06.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -